

MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT MPT™ Detail Spray

FILE NO.: B

MSDS DATE: 3/10/2013

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: MPT™ Detail Spray
SYNONYMS: Detail Spray
Part # MPT-147/148
MANUFACTURER: MPT™ Industries
ADDRESS: 6-B Hamilton Business Park
85 Franklin Road
Dover NJ. 07801

PHONE: 973-989-9220

FAX: 973-989-9234

CHEMICAL NAME: Surfactant/Alcohol/Polydimethyl Siloxane/Fragrance

PRODUCT USE: Detail Spray

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:

	CAS NO.	% WT	V.P.
Propyl Alcohol	71-23-8	1-2%	20.8 mmHg @ 25.0 C

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Combustible. Causes Eye Irritation. Blue Substance with Fragrance.

Chronic Cancer Information – No Data

Teratology (birth defect) Information – No Data

Reproduction Information – No Data

SECTION 4: FIRST AID MEASURES

EYES: Move individual away from exposure and into fresh air. Flush with plenty of water for at least 15 minutes. Seek medical attention.

SKIN: Remove contaminated clothing. Wash with soap and water. Seek medical condition if rash develops. Wash clothing before use.

INGESTION: Do not induce vomiting. If individual is drowsy or unconscious, place on left side with head down. Seek medical attention. If possible, do not leave individual unattended.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. Seek medical attention.

SECTION 5: FIRE-FIGHTING MEASURES

FLASH POINT:

F: 160.0 F, Method TCC

Combustible. Material will readily ignite at ambient temperatures. May travel considerable distance to ignition source and cause flash fires or explosions.

Flammable Limits:

Lower flammable limit – 2.4%

Upper flammable limit – 13.5 %

Autoignition temperature – 772.0 F

Hazardous Combustion Products: NA

EXTINGUISHING MEDIA: Use dry chemical, foam, carbon dioxide.

SPECIAL FIRE FIGHTING PROCEDURES: Firefighter must use full bunker gear, including NIOSH approved positive pressure self-contained breathing apparatus.

FIREFIGHTING INSTRUCTIONS: Water can be used to keep exposed containers cool.

SECTION 6: ACCIDENTAL RELEASE MEASURES

MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT MPT™ Detail Spray

FILE NO.: B

MSDS DATE: 3/10/2013

ACCIDENTAL RELEASE MEASURES: Add dry material to absorb spill. Avoid walking through material. Comply with all laws and regulations for waste disposal.

LARGE SPILL: Persons not wearing protective equipment should be excluded from area of spill until clean up has been completed. Stop at spill source to prevent spreading. If runoff occurs, notify authorities as required. Pump or vacuum transfer spilled product to clean containers for recovery. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other material to containers for disposal. Close container tightly and dispose of properly.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Avoid container damage. Keep away from heat, sparks, and flames. Emptied containers may retain product residues. Precautions apply to empty containers. Since emptied containers retain product residues, all hazard precautions given in the data sheet should be observed.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION: Use only with adequate ventilation.

RESPIRATORY PROTECTION: When respiratory protection is required or concentrations are unknown use NIOSH/MSHA approved air purifying respirator equipped with organic vapor cartridges or canisters. For emergency or other conditions where exposure limit may be greatly exceeded, use an approved positive pressure self contained breathing apparatus or positive pressure airline with auxiliary self contained air supply.

EYE PROTECTION: Use chemical goggles in compliance with OSHA regulations.

SKIN PROTECTION: For brief contact, no precautions other than clean body-covering should be required. Use impervious gloves such as neoprene.

WORK HYGIENIC PRACTICES: Wash hands after using. Remove soiled clothing.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Blue

ODOR: Sweet

PHYSICAL STATE: Liquid

BOILING POINT: 205.2 F

MELTING POINT: -196.0 F

VAPOR PRESSURE: 68.0 F @14.5 mmHg

Solubility in Water: Soluble

Specific Gravity: .803 @68.0 F

pH: 3-4

SECTION 10: STABILITY AND REACTIVITY

STABLE

UNSTABLE

STABILITY: Stable.

CONDITIONS TO AVOID (STABILITY): Stable

INCOMPATIBILITY (MATERIAL TO AVOID): Oxidizing agents

HAZARDOUS DECOMPOSITION PRODUCTS: No data

HAZARDOUS POLYMERIZATION: Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

No data

MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT MPT™ Detail Spray

FILE NO.: B

MSDS DATE: 3/10/2013

SECTION 12: ECOLOGICAL INFORMATION

No data

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: It is the responsibility of the individual using this product to follow all local, State and Federal regulation for the proper disposal of this product and containers.

RCRA HAZARD CLASS: It is the responsibility of the user to determine if this material is a RCRA Hazardous Waste at the time of disposal.

SECTION 14: TRANSPORT INFORMATION

DOT Information – 49 CFR 172.101

DOT Description: (For Ground Bulk Shipments) Not regulated

Container/Mode: Non-bulk

NOS Component: NA

RQ (Reportable Quantity) 49 CFR 172.101

Not Applicable

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): The components of this product are listed

CERCLA RQ – 40 CFR 302.4

None Listed

SARA 302 Components – 40 CFR 355 Appendix A

None

Section 311/312 Hazard Class – 40 CFR 370.2

Immediate (X) Delayed (X) Fire (X) Reactive () Sudden ()

Release of Pressure

SARA 313 Components – 40 CFR 372.65

None

STATE REGULATIONS:

NJ right to know Label

California Proposition 65 -- None

SECTION 16: OTHER INFORMATION

DISCLAIMER:

Information presented herein has been compiled from source considered to be accurate and dependable to the best of our knowledge and belief but is not guaranteed to be so. Nothing herein is to be construed as recommending any practice or any product in violation of any law or regulation. It is the user's responsibility to determine the suitability of any material for a specific purpose and to adopt such safety precautions as necessary. Since conditions of use are not under our control, we must disclaim all liability with respect to the use and disposal of our products.